

FIG. 1A

205220-SBC2800T






FIG. 1B

2022-08-20 17:11:17

FIG. 2








FIG. 5




FIG. 4

205220 - 522385




FIG. 6




FIG. 7

A plurality of peers join in a session
440

Generate a unique session key for
each pair of peers in the session that
desires to exchange messages
442

Each pair of peers uses the pair's
session key to encrypt and decrypt
messages exchanged between
each other
444

FIG. 8

A plurality of peers join in a session
460

One peer generates a session key for
the session
462

Peer provides a public key to all peers
participating in the session
464

Peer encrypts the session key with its
private key and sends it to all peers
participating in the session
466

Peers decrypt the session key using
the public key and use the session key
to encrypt and decrypt data exchanged
between peers in the session
468

FIG. 9

10002385 · 022532

205220° 58°23'00.0"


Peers, clients and services

FIG. 10




FIG. 11

Content ID

| | | |
|----------------------------------|---------------------------|---|
| 128-bit UUID of Peer Group | Length of Remainder | Unique name within the group (A byte array) |
|----------------------------------|---------------------------|---|

FIG. 12

Peer-to-peer sharing layers

10982395 - 022592




FIG. 13

Policy Advertisement

| Element Name (A String) | Element Value Type |
|-------------------------|---|
| Policy Name | A non-canonical resource name (suitable for UI display) |
| Policy Keywords | String[] |
| Policy Resolver | <Peer Endpoint> to which the query generation and resolve messages are to be sent |

FIG. 14

100082885 : 022502

Peer Advertisement

| Element Name (A String) | Element Value Type |
|-------------------------|--------------------|
| Peer Endpoint | <Peer Endpoint[]> |

*FIG. 15***Peer Group Advertisement**

| Element Name (A String) | Element Value Type |
|--|------------------------|
| Membership Application Policy | <Policy Advertisement> |
| New Member Approval Policy (Authentication) | <Policy Advertisement> |
| Content Sharing Policy | <Policy Advertisement> |
| Peer Discovery Policy | <Policy Advertisement> |
| Policy Resolver Policy | <Policy Advertisement> |
| Pipe Resolver Policy | <Policy Advertisement> |

FIG. 16

Pipe Advertisement

| Element Name (A String) | Element Value Type |
|-------------------------|------------------------------|
| Direction | <Pipe Direction> (In or Out) |

FIG. 17

Service Advertisement

| Element Name (A String) | Element Value Type |
|-------------------------|------------------------|
| Access Policy | <Policy Advertisement> |

FIG. 18

Content Advertisement

| Element Name (A String) | Element Value Type |
|-------------------------|------------------------------|
| Type (Optional) | String |
| Size (Required) | Long |
| Encoding (Required) | <By Value> or <By Reference> |
| Content ID (Required) | <Content ID> |
| About ID (Optional) | <Content ID> |
| Peer ID (Optional) | <Peer Advertisement> |

FIG. 19

Networking protocol stack

